

# PRODUCT INFORMATION

## Li-Ion Cordless Power Tools

FOR YOUR INQUIRIES, PLEASE  
INDICATE MODEL NO., AND FOLLOWING  
CATALOGUE NUMBER

SET078  
( Page 1 of 3 )

### Cordless Impact Wrench



Item No.	Capacity Square Driver	Voltage	No-Load Speed rpm	Max. Torque	Impact Per Minute bpm
<b>ET9838</b>	1/2"	DC 18.0V	1800	400 Ft/Lbs ( 540 Nm )	2300

**Capability: A Fully Charged Battery Pack Can Tighten and Loose  
150 PCs of 21 mm Wheel Nut**

- Variable Speed Impact Wrench
- Metal Front Housing Enhances the Durability of the Tool
- Ergonomic Soft Grip Handle for Comfort of Use
- Super Power Fan Cooled Motor
- DC 18.0 V Heavy Duty Battery Pack
- Charging Time 1 Hour Auto Cut-Off

### Cordless Impact Driver



Item No.	Capacity Hex Driver	Voltage	No-Load Speed rpm	Max. Torque	Impact Per Minute bpm
<b>ET9850</b>	1/4"	DC 10.8V	0-2300	72 Ft/Lbs ( 97.2 Nm )	3000
<b>ET9854</b>	1/4"	DC 14.4V	0-2400	87 Ft/Lbs ( 117.5 Nm )	3150
<b>ET9858</b>	1/4"	DC 18.0V	0-2500	108 Ft/Lbs ( 145.8 Nm )	3300

- Max Torque to Perform a Wide Range of Fastening Applications
- Comfort Grip Provides Maximum Comfort
- Heavy-Duty Impacting Mechanism
- Variable Speed Trigger for Total Control and Versatility
- Durable Magnesium Gear Case and All Metal Transmission for Extended Durability
- Charging Time 1 Hour Auto Cut-Off

### Cordless Drill / Driver



Item No.	Capacity ( Chuck )	Voltage	No-Load Speed rpm	Max. Torque	Clutch
<b>ET9870</b>	Keyless 3/8" ( 10 mm )	DC 10.8V	Low: 0~300 High: 0~1100	25 Ft/Lbs ( 33.8 Nm )	17 Sections
<b>ET9874</b>	Keyless 3/8" ( 10 mm )	DC 14.4V	Low: 0~325 High: 0~1170	29 Ft/Lbs ( 39.2 Nm )	17 Sections
<b>ET9878</b>	Keyless 1/2" ( 13 mm )	DC 18.0V	Low: 0~340 High: 0~1220	33 Ft/Lbs ( 44.6 Nm )	17 Sections

- 17 Torque Settings
- Comfort Grip Provides Maximum Comfort
- Aluminum Clutch Ring for Extended Durability
- Keyless Metal Ratcheting Chuck with Carbide Jaws  
Helps to Prevent Bits from Slipping
- 2-Speed Gear Selection with Variable Speed in Each Range
- Variable Speed Trigger for Total Control and Versatility
- Charging Time 1 Hour Auto Cut-Off



**HIMOUNT INDUSTRIAL CO., LTD.**

7TH FL. No.325, FU HSING N. ROAD.

TAIPEI, TAIWAN,

TEL: 886-2-27135577 FAX: 886-2-27152218

E - MAIL : himount@himount.com

[http:// www.himount.com](http://www.himount.com)

## PRODUCT INFORMATION

# Li-Ion Cordless Power Tools

FOR YOUR INQUIRIES, PLEASE  
INDICATE MODEL NO., AND FOLLOWING  
CATALOGUE NUMBER

SET078  
( Page 2 of 3 )

### Cordless Caulking Gun



Item No.	Capacity	Voltage	Expel Force	No-Load Speed ( mm / sec. )
<b>ET9893</b>	310 ml	DC 10.8V	450 kgf	10 mm / sec.
<b>ET9894</b>	400 ml	DC 10.8V	450 kgf	10 mm / sec.
<b>ET9896</b>	600 ml	DC 10.8V	450 kgf	10 mm / sec.

**Capability: 45 Tubes of 9" Silicone for a Fully Charged Battery  
at Room Temperature**

- Cordless Sealing Gun for Both the Sausage Bag and Cartridge Applications up to 310/400/600 ml
- Patented Dripless Mechanism
- Patented Rapid Plunger Release Mechanism
- Speed Control Function
- Cut-Off Switch While Plunger Reach the End
- Charging Time 1 Hour Auto Cut-Off

### Cordless Power Polisher



Item No.	Pad Size	Voltage	No-Load Speed rpm
<b>ET9918</b>	7"	DC 18.0V	3000~1600

- Makes Car Polishing Quick and Easy Leaving an Excellent Finish
- The Motor is Quick with Random Orbit Motor
- Clean the Surface Thoroughly, Removing all Dust and Spots
- Variable Speed Adjustment up to 3,000 RPM Allows User to Adjust for Different Applications and Materials
- Users Can Apply Heavy Pressure for Heavy Duty Applications
- Velcro Design Help Users to Change Polishing Cloth Easily
- Charging Time 1 Hour Auto Cut-Off

### Cordless Mini Ratchet



Item No.	Capacity Square Driver	Voltage	No-Load Speed rpm	Max. Torque	No-Load Current
<b>ET9943</b>	3/8"	DC 10.8V	180	45 Ft/Lbs ( 60.75 Nm )	4-5A
<b>ET9944</b>	1/2"	DC 10.8V	180	45 Ft/Lbs ( 60.75 Nm )	4-5A

- Charging Time 1 Hour Auto Cut-Off



**HIMOUNT INDUSTRIAL CO., LTD.**

7TH FL. No.325, FU HSING N. ROAD.

TAIPEI, TAIWAN,

TEL: 886-2-27135577 FAX: 886-2-27152218

E - MAIL : himount@himount.com

[http:// www.himount.com](http://www.himount.com)

## PRODUCT INFORMATION

FOR YOUR INQUIRIES, PLEASE  
INDICATE MODEL NO., AND FOLLOWING  
**CATALOGUE NUMBER**

**SET078**  
( Page 3 of 3)

# Li-Ion Cordless Power

### **Cordless Mini Sander**



Item No.	Voltage	No-Load Speed rpm	No-Load Current
<b>ET9950</b>	DC 10.8V	3200	3.0 A

- Charging Time 1 Hour Auto Cut-Off

### **Cordless Mini Die Grinder**



Item No.	Voltage	No-Load Speed rpm	No-Load Current
<b>ET9970</b>	DC 10.8V	22000	3.0 A

- Charging Time 1 Hour Auto Cut-Off

### **Advantage of Lithium-Ion Battery Pack**

- **High Energy Density**
- **High Voltage**
- **No Memory Effect**
- **Long Cycle Life by 50% ~ 100% Depending on the Environment**
- **No Environmental Pollution**
- **Less Weight Than Ni-Cd and Ni-Mh Batteries By 30%**
- **Low Self - Discharge**
- **50% Use Time Increase**



**HIMOUNT INDUSTRIAL CO., LTD.**  
7TH FL. No.325, FU HSING N. ROAD.  
TAIPEI, TAIWAN,  
TEL: 886-2-27135577 FAX : 886-2-27152218  
E - MAIL : himount@himount.com  
[http:// www.himount.com](http://www.himount.com)