

PRODUCT INFORMATION

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT258

Page 1 of 3

Stainless Steel Pressure Tank

- The pressure tank shell is constructed with stainless steel in one piece (size available for 1, 2, 4, 10, 20, 50 and 130 liter). The tank lid and all material-conveying parts are also supplied in stainless materials, abrasive materials and waterborne materials
- Two kinds of fluid outlets are available, either at top or bottom. Bottom fluid outlet is recommended for heavy viscous materials
- Pressure tank is equipped with air agitator or manual agitator. Agitator blade is made of stainless.
- A variety of tanks are available for your finishing needs
- Working pressure 4.1 bar or 7.0 bar for choice

Applicable:

Waterborne, Glue, High-Viscosity, Acid Chemicals, Alkaline Chemicals, All Common Solvent, Based Paints

Top Fluid Type

None Agitating Type

Size Available:

2, 4, 10, 20, 50 Liter



Manual Agitating Type

Size Available:

10, 20, 50 Liter



Auto Agitating Type

Size Available:

2, 4, 10, 20, 50 Liter



	Model	Capacity	Pressure	caster	Tank Body (mm)				Tank Lid (mm)			Weight
		Liter	bar		Thickness	Height	I.D.	O.D.	Thickness	I.D.	O.D.	kgs
None	PT94902ES	2	4.1	No	2.0	184	161	172	3.5	174	182	4.8
	PT94904ES	4		No	2.0	227	161	172	3.5	174	182	5.3
	PT94910ES	10		Yes	2.0	246	265	276	3.5	279	287	11.4
	PT94920ES	20		Yes	2.0	421	317	327	5.0	334	344	19.4
	PT94950ES	50		Yes	2.0	470	370	378	5.0	390	401	23.2
Manual	PT94910MS	10	4.1	Yes	2.0	246	265	276	3.5	279	287	15.3
	PT94920MS	20		Yes	2.0	421	317	327	5.0	334	344	21.6
	PT94950MS	50		Yes	2.0	470	370	378	5.0	390	401	26.5
Auto	PT94902AS	2	4.1	No	2.0	184	161	172	3.5	174	182	6.3
	PT94904AS	4		No	2.0	227	161	172	3.5	174	182	4.8
	PT94910AS	10		Yes	2.0	246	265	276	3.5	279	287	13.7
	PT94920AS	20		Yes	2.0	421	317	327	5.0	334	344	22.8
	PT94950AS	50		Yes	2.0	470	370	378	5.0	390	401	27.5



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

PRODUCT INFORMATION

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT258

Page 2 of 3

Buttom Cover

None Agitating Type

Size Available:

2.5, 10, 20, 50 Liter



Manual Agitating Type

Size Available:

10, 20, 50 Liter



Auto Agitating Type

Size Available:

10, 20, 50 Liter



Buttom Fluid Type

None Agitating Type

Size Available:

2, 4, 10, 20, 50 Liter



Manual Agitating Type

Size Available:

10, 20, 50 Liter



Auto Agitating Type

Size Available:

2, 4, 10, 20, 50 Liter



Model		Capacity	Pressure	caster	Tank Body (mm)				Tank Lid (mm)			Weight
		Liter			bar	Thickness	Heigth	I.D.	O.D.	Thickness	I.D.	O.D.
Button Cover												
None	PT94902BS	2.5	4.1	No	1.2	192	159	162	4	132	140	3.3
	PT94910BS	10		Yes	2	246	265	276	3.5	279	287	11.4
	PT94920BS	20		Yes	2	421	317	327	5	334	344	19.4
	PT94950BS	50		Yes	2	499	370	380	5	389	399	23.7
Manual	PT9491MBS	10	4.1	Yes	2	246	265	276	3.5	279	287	15.3
	PT9492MBS	20		Yes	2	421	317	327	5	334	344	21.6
	PT9495MBS	50		Yes	2	499	370	380	5	389	399	27
Auto	PT9491ABS	10	4.1	Yes	2	246	265	276	3.5	279	287	13.7
	PT9492ABS	20		Yes	2	421	317	327	5	334	344	22.8
	PT9495ABS	50		Yes	2	499	370	380	5	389	399	28

Buttom Fluid Type

None	PT94902SE	2	4.1	No	2.0	248	161	172	3.5	174	182	4.8
	PT94904SE	4		No	2.0	295	161	172	3.5	174	182	6.0
	PT94910SE	10		Yes	2.0	358	265	276	3.5	279	287	13.5
	PT94920SE	20		Yes	2.0	532	317	327	5.0	334	344	20.4
	PT94950SE	50		Yes	2.0	590	372	382	5.0	390	401	24.7
Manual	PT9491MDS	10	4.1	Yes	2.0	358	265	276	3.5	279	287	15.7
	PT9492MDS	20		Yes	2.0	532	317	327	5.0	334	344	22.7
	PT9495MDS	50		Yes	2.0	590	372	382	5.0	390	401	27.3
Auto	PT94902DA	2	4.1	No	2.0	184	161	172	3.5	174	182	6.9
	PT94904DA	4		No	2.0	295	161	172	3.5	174	182	7.3
	PT94910DA	10		Yes	2.0	358	265	276	3.5	279	287	17.1
	PT94920DA	20		Yes	2.0	532	317	327	5.0	334	344	24.0
	PT94950DA	50		Yes	2.0	590	372	382	5.0	390	401	30.7



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
<http://www.himount.com/>
E-MAIL: info@himount.com

PRODUCT INFORMATION

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT258

Page 3 of 3

Stainless Steel Double Diaphragm



PT9494S

Pressure Ratio: 1 : 1

Painting Tank Volume: 4 ~ 200 Liter

Transmitting Capacity: 5 l/min. (0.4 kg/cm²)

7.5 l/min. (0.4 kg/cm²)

10.5 l/min. (0.4 kg/cm²)

Used Air Pressure: 1 ~ 5 kg/cm²

Max. Painting Pressure: 5 kg/cm²

Max. Pump Speed: 160 times / min.

Min. Pump Speed: 80 times / min.

Weight: 10 kgs

Dimension: 36 x 32 x 760mm



Stainless Steel Air Agitation



PT9492S

Dimension: 82 x 82 x 420mm

Weight: 1 kg

Stainless Steel Agitating Propeller

APT9492SA



I.D.: 15mm, O.D.: 60mm

APT9492SC



I.D.: 15mm, O.D.: 107mm

APT9492SB



I.D.: 15mm, O.D.: 180mm

APT9492SD



I.D.: 15mm, O.D.: 167mm



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com