

INDUSTRIAL CYCLONE DUST COLLECTOR

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND
FOLLOWING
CATALOGUE NUMBER

SPT326

NEW



Cyclone Separator
can remove 95% dust.



Extraction Fan: Power 550W, 2820rpm.
Capacity: 15m³/min



Easy connection & maintenance




Filter element: $\phi 320 \times 600$ mm,
Filtering Area: 4.42m²,
Filtering Precision : 8um

PT909799

Specification:

- ◆ This is newly designed high efficiency Cyclone Dust Collector, with two stage dust cleaning system.
- ◆ Powerful extraction fan providing large dust vacuum, ideally equipped for up to 420 liters abrasive blasting cabinet.
- ◆ Noise Level: 75dB@ 1m
- ◆ Dust Collecting Capacity: 2.9 kg/h

Item number	Pcs/Ctn	G.W./N.W.	Dimension	Q'ty/40GP
PT909799	1/2	38/40.5kg	1130X555X460mm	140sets
	1/2	12/13.5kg	940X355X290mm	



420L INDUSTRIAL ABRASIVE BLAST CABINET

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND
FOLLOWING
CATALOGUE NUMBER
SPT322



PT90977

Side Door




Front Door

PT909772



Specification:

- ◆ Natural rubber / vinyl blast gloves
- ◆ Preforated steel flooring—abrasive large particle—separating screen and clean-out door
- ◆ Powder coated inside and out
- ◆ Extra-rugged, heavy-duty production foot valve assembly. Built to blast with heavy steel housing and high-production brass flow valve
- ◆ Air regulator / gauge panel
- ◆ 14 gauge steel legs (16 gauge panels)
- ◆ Eliminating typical suction pick-up tubes and hoses, media metering valve puts our economy
- ◆ Series blast cabinets in a entirely different class from the competition
- ◆ External fluorescent lighting system. Packed in wooden case
- ◆ Overall dimension: 135x90x170cm
- ◆ Work pressure range: 90~125PSI



MODEL	Packing	G.W. / N.W.	Dimension	Q'ty / 20' / 40' / 40'HQ	Remark
PT90977	Plywood Box	147.5 / 113 kgs	128x125x77cm	16 / 36 / 54 pcs	Front Door
PT909772	Plywood Box	160 / 124 kgs	128x125x77cm	16 / 36 / 54 pcs	Side Door

SODA BLASTER

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND
FOLLOWING
CATALOGUE NUMBER
SPT315

Feature :



Using harmless baking soda media instead of sand
Ideal for fire damage restoration, mold remediation,
parts remanufacturing and cleaning graffiti removal, fiberglass
types, including boat depainting, building restoration.

Tank: 1 L capacity

Working pressure: 35-90 psi

Steel nozzle: 5mm

PT90974T1



20180813/SL



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

SODA & ABRASIVE BLASTER

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT296

40 LBS SODA BLASTER

PT90974S

FUNCTION:

1. Quick Change Valve:
Allows operator to go from blasting rust to paint removal.
2. Utilize Harmless Soda For Paint Removal:
Low-impact, eco-friendly, chemical-free stripping.
On plastic, fiberglass, wood, chrome, stainless steel and any other soft metal without damage.
3. Ideal for fire damage restoration, mold remediation, parts remanufacturing and cleaning graffiti removal and most fiberglass types, including boat depainting and building restoration.



Industrial Parts Cleaning



Fire Restoration



DUAL BLASTER FOR SODA & ABRASIVE

FEATURE:

The dual tanks each hold 40 lbs of media and operate on as little as 8 cfm at 90 psi.

This unit now offers the professional and DIY the ability to use soda and abrasive media in one unit with quick switch change between each media.



PT90974SA

	Model	Capacity	Air Consumption	Working Pressure	Replaceable Ceramic Nozzle
PT90974S	Soda Tank	40 LBS (7 Gallon)	8 CFM @ 90 PSI	58 - 90 PSI	2.5mm, 3mm
	Abrasive Tank	40 LBS (7 Gallon)	8 CFM @ 90 PSI	58 - 90 PSI	2mm, 2.5mm, 3mm, 3.5mm



20170725 HIY



ID 000062294



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL., NO. 325, FU HSING N. ROAD, TAIPEI,
TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
E-MAIL: info@himount.com
<http://www.himount.com/>

ABRASIVE BLASTER

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT295

Roll - About Type Abrasive Blaster

PT909741 / PT90974P



Model	Capacity		Tank Dimension		Work Pressure	Rubber Hose	Nozzle	Wheel
	Gallon	Lbs	Diameter	Length	PSI	m	mm	
PT909741	10	80	10"	24.5"	65 - 125	2.5	2/2.5/3/3.5	5"
PT90974P	20	125	12.5"	27"	65 - 125	2.5	2/2.5/3/3.5	5"

Siphon Feed Type Abrasive Blaster

PT909745



PT909746A



Model	Capacity		Flow Rate	Air Inlet	Work Pressure	Rubber Hose	Nozzle	Wheel
	Gallon	Lbs	CFM		PSI	m	mm	
PT909745	8	50	10 - 16	3/8"	60 - 120	3	4/5/6/7	5"
PT909746A	15	90	10 - 16	3/8"	60 - 120	2.5	4/5/6/7	10"



20170626 HIY

HIMOUNT INDUSTRIAL CO., LTD.
7TH FL., NO. 325, FU HSING N. ROAD, TAIPEI,
TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
E-MAIL: info@himount.com
<http://www.himount.com/>

990 Litres Sand Blasting Cabinet With Pressure Tank



FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT313

PT909795 -- 1 Dust Collector PT909796 -- 2 Dust Collectors

Industrial - quality, Pistol - grip Blasting Gun, Foot - Pedal Operated

- Working area: 1180mm x 890mm x 850mm
- Work pressure range: 4.5 ~ 9.0 BAR (60 ~ 125 PSI)
- With dust collector
- With Motor Power: 1200W (1.6HP)
- Natural rubber / vinyl blast gloves
- Perforated steel flooring-abrasive large particle-separating screen and clean-out door
- Replaceable window underlays
- Powder coated inside and out
- Extra-rugged, heavy-duty production foot valve assembly. Built to blast with heavy steel housing and high-production brass flow valve
- Air regulator / gauge panel
- 12 gauge steel legs (16 gauge panels)
- External fluorescent lighting system.
- Pressure Tank: 22 Litre



ID 000062294

20180704-SL

HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

1200 Litres Sand Blasting Cabinet With Dual Working Position



FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT312

PT909792 -- 1 Dust Collector
PT909793 -- 2 Dust Collectors

Industrial - quality, Pistol - grip Blasting Gun, Foot - Pedal Operated

- Working area: 1180mm x 1300mm x 850mm
- Work pressure range: 4.5 ~ 9.0 BAR (60 ~ 125 PSI)
- With dust collector
- With Motor Power: 1200W (1.6HP)
- Natural rubber / vinyl blast gloves
- Perforated steel flooring-abrasive large particle-separating screen and clean-out door
- Replaceable window underlays
- Powder coated inside and out
- Extra-rugged, heavy-duty production foot valve assembly. Built to blast with heavy steel housing and high-production brass flow valve
- Air regulator / gauge panel
- 12 gauge steel legs (16 gauge panels)
- External fluorescent lighting system.
- Overall dimension: 1430mm x 1350mm x 1080mm



20180704-SL



ID 0000062294


HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

Industrial Pedestal Abrasive Blast Cabinet


PT90979

Industrial - quality, Pistol - grip Blasting Gun, Foot - Pedal Operated

- Working area: 1320mm x 900mm x 930mm
- Work pressure range: 4.5 ~ 9.0 BAR (60 ~ 125 PSI)
- With dust collector (1-1/2 HP)
- Natural rubber / vinyl blast gloves
- Perforated steel flooring-abrasive large particle-separating screen and clean-out door
- Replaceable window underlays
- Powder coated inside and out
- Extra-rugged, heavy-duty production foot valve assembly. Built to blast with heavy steel housing and high-production brass flow valve
- Air regulator / gauge panel
- 12 gauge steel legs (16 gauge panels)
- External fluorescent lighting system.
- Overall dimension: 1320mm x 1200mm x 1770mm



Air Regulator





Foot - Pedal Operated



**Safety Air Spring Support
for Door Hinge Poles**



Dust Collector



Inside of Cabinets



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

INDUSTRIAL ABRASIVE BLAST CABINET

Model : PT90977




- *Designed for surface cleaning and finishing jobs, removes corrossions, chemicals and old paint, cleans dies, molds, stampings and parts. Used to prepare surfaces for painting, scale removal as well as for deburring and preening for additional surface strength*
- **5 HP air compressor (not included) is required for most blasting applications**
- **Work Area Dimensions : 120 x 60 x 60 cm**
- **Operating Pressure : from 50 to 80 PSI, Maximum 110 PSI**
- **Dust Collector : 1-1/2 HP Motor**



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 FAX: 886-2-27152218
EMAIL: info@himount.com
<http://www.himount.com/>

PT909755



PEDESTAL SAND BLAST CABINET

- » Blast rust, corrosion and paint on large parts in an enclosed cabinet to keep dust off the floor and out of the air.
- » Heavy steel construction, single door on one side.
- » Transparent glass viewing window.
- » 40-80PSI @ 15-25CFM
- » Overall Dimension: 139cm(H) x 86cm(L) x 56cm(W)
- » Working space: 56 x 86 x 56 cm
- » Container load quantity: 20'FCL=63PCS
40'FCL=150PCS

PT909754



BENCH TOP BLAST CABINET

- » Clean parts quickly and easily.
- » Through the sealed rubber glove parts, controlling the high-efficiency air blast gun in side, directing 100maximum PSI abrasive flow to clean parts FAST!
- » For use with glass beads, silica sand, alum oxide and more.
- » Transpatent plastic top door.
- » Overall Dimension: 38cm(H) x 58.5cm(L) x 48cm(W)
- » Working space: 28 x 58.5 x 48 cm
- » Container load quantity: 20'FCL=160CS
40'FCL=320PCS



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

Mini Sand Blaster

PT90985

- New ergonomic and compact design for comfortable operation
- Heavy steel construction, no sand leakage
- Fluorescent lighting system for bright view
- Wearable blast gloves
- Recyclable sandblaster for gentle finishing, especially suit for dental restoration, jewelry processing or small parts

Sand Capacity: 12 lbs

Ceramic Nozzle: 3.5 mm

Overall Dimension: 475 x 370 x 370 mm

Working Area: 410 x 310 x 200 mm

Working Pressure: 80 ~ 115 psi

Power Requirement: 110V/60Hz or 230V/50Hz



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SPT235

PORTABLE ABRASIVE BLASTER KIT

PT90954

Large capacity hopper 22 KGS (50lbs) with convenient carry handle and integral hose storage

Supplied with 4.5mtr grit hose and fitted with a heavy-duty blast gun

Cabinet Material : LDPE
Light Weight : 2.5 KGS

All you need is a 1HP compressor to remove rust, paint, graffiti, corrosion, and scale.
Hopper takes most abrasives :
steel grit, glass beads, pecan shells and more
Includes blast gun, hopper and material hose



POLYMER HOBBYIST BLAST CABINET

PT909751

Top Open Bench-Top Abrasive Blaster
Handy for smaller jobs or for the hobbyist

Cabinet Material : LDPE
Light Weight : 8.5 KGS (19 lbs.)
Overall Dimension : 25" x 19" X 21"
Media Capacity : 92 Liter

Recommended Media : Glass Bead, Aluminum Oxide

With 1PC Sand Blast 1 PC Sand Blast
2PS Rubber Glove
10PS Extra Viewing Screen



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 FAX: 886-2-27152218
[http:// www.himount.com](http://www.himount.com)
E - MAIL: info@himount.com

COMPOSITE AIR BLOW AND SAND BLAST GUN ACCESSORY KIT

PT90856 COMPOSITE AIR TIRE INFLATOR

Gauge: 0 - 10 BAR



PT90858 COMPOSITE AIR TIRE INFLATOR

With Compass, needle &
Tapered Nozzle

Gauge: 0 - 7 BAR



PT90905 COMPOSITE AIR SAND BLASTER

Capacity: 0.3 liter



PT90652 COMPOSITE AIR ENGINE CLEANING GUN

Capacity : 0.8 liter



PT90602 AIR ENGINE CLEANING GUN WITH PVC HOSE



PT909052 COMPOSITE SIPHON-FEED SAND BLASTER



PT90905K1 14 PCS AIR BLOW GUN



PT90905K2 18 PCS AIR BLOW & SAND BLASTER



1PC AIR SAND BLASTER GUN PT90905
1PC PENCIL TIRE GAUGE 0-120 PSI
1PC 1/4" DUAL CHUCK, ZINC
1PC BRASS & RUBBER TIP
1PC EXTENSION TUBE, ALUM.
1PC INFLATION NEEDLE, BRASS
1PC TAPERED NOZZLE, BRASS
1PC 1/4" BARSS FEMALE QUICK COUPLER
1PC 1/4" STEEL MALE PLUG, EURO TYPE
1PC 1/4" STEEL FEMALE PLUG, EURO TYPE
1PC 1/4" BRASS FEMALE CONNECTOR
1PC 1/4" BRASS MALE CONNECTOR
1PC 3/8" I.D. PU HOSE 3M
1PC TEFLON TAPE

1PC AIR SAND BLASTER GUN PT90905
1PC AIR DUST GUN
1PC PENCIL TIRE GAUGE 0 - 120 PSI
1PC 1/4" DUAL CHUCK, ZINC
1PC BRASS & RUBBER TIP
1PC EXTENSION TUBE, ALUM.
1PC INFLATION NEEDLE, BRASS
1PC TAPERED NOZZLE, BRASS
2PS 1/4" BARSS FEMALE QUICK COUPLER
2PS 1/4" STEEL MALE PLUG, EURO TYPE
2PS 1/4" STEEL FEMALE PLUG, EURO TYPE
1PC 1/4" BRASS FEMALE CONNECTOR
1PC 1/4" BRASS MALE CONNECTOR
1PC 3/8" I.D. PU HOSE 3M
1PC TEFLON TAPE



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX: 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

PRODUCT INFORMATION

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

SMH029

28 Gallon Abrasive Blaster with Vacuum

Model No.: PT90978

- Built-in vacuum eliminates the need for breathing apparatus.
- Recycles abrasives for reuse.
- Separates abrasive from debris.
- Cuts cleanup time.
- Use with most blast media including silica, shot and shell.
- Removable dust container.
- 6" diameter rear wheels for easy transport.
- Air consumption : 6-22.5 CFM @ 115 PSI
- Motor power : 1200W
- Air Inlet : 1/4"
- Tank Size : 41 " (H) x 15" (I.D.)



COLOR :  



Packing	PCS/CTN	G.W./N.W.	DIMENSION	Q'TY/20'	Q'TY'40'
	1	40/36KGS	102x46x51.5CM	96 PCS	192 PCS



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD. TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: himount@himount.com