

PRODUCT INFORMATION

FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

STV044

Page 1 of 4


Toggle Clamp Series

The Toggle Clamp Series will add speed and efficiency to your operations. They are well suited for operations of assembly, drilling, parts machining, riveting, welding, woodworking, industry, aircraft industry as a quick clamp tools.

- Hand grips are covered with an oil and stain resistant red plastic for easy identification and to assure the safety and comfort of the operator.
- All die-stamped steel parts are deburred, cleaned, and receive a zinc plated finish that resists corrosion and creates a smooth, easy to clean surface.
- Heavy duty rivets are used to maintain accuracy and to increase endurance. All heavy-duty clamps receive hardened ground pins and bushings.
- Flanged washers are supplied with all U-bar and open bar models. Weld-on bolt retainers are supplied with all solid bar models.
- Toggle mechanism designed to allow maximum clearance for ease of loading and unloading work piece.

Vertical Handle Type

Standard or extended bar length for choice
Flat shaped handle for comfortable operation
Flanged or straight base, interchangeable base



MT051002A

Width: 50mm
Height: 75mm
Holding Pressure: 50kgs



MT051008A

Width: 144mm
Height: 230mm
Holding Pressure: 350kgs



MT051004A

Width: 68mm
Height: 93mm
Holding Pressure: 90kgs

MT051012A

Width: 229mm
Height: 305mm
Holding Pressure: 545kgs



MT051006A

Width: 93mm
Height: 143mm
Holding Pressure: 170kgs



MT051010A

Width: 106.5mm
Height: 140mm
Holding Pressure: 217kgs



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

PRODUCT INFORMATION


FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

STV044

Page 2 of 4

Horizontal Handle Type

Standard or increased base height for choice
Standard or extended bar length for choice
Flat shaped or standard handle for comfortable operation
Flanged or straight base



MT052004A



Width: 75mm
Height: 15mm
Holding Pressure: 17kgs

MT052010A



Width: 200mm
Height: 52mm
Holding Pressure: 217kgs

MT052006A



Width: 138mm
Height: 49.5mm
Holding Pressure: 80kgs

MT052012A



Width: 290mm
Height: 75mm
Holding Pressure: 390kgs

MT052008A



Width: 263.5mm
Height: 63.5mm
Holding Pressure: 220kgs

MT052014A



Width: 290mm
Height: 110mm
Holding Pressure: 400kgs

MT052002A



Width: 168mm
Height: 47.5mm
Holding Pressure: 217kgs



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

PRODUCT INFORMATION


FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

STV044

Page 3 of 4

Push Action Type

Flanged or straight base, ductile iron casted, side surface mounting
Horizontal handle moves 45° or 90°
Steel constructed
Adjustable spindle
Square plunger prevent rotating



Model No.	Width mm	Height mm	Traverse mm	Holding Pressure kgs
MT053012A	135	68	20	227
MT053014A	159	98	40	368
MT053016A	230	133	60	680



Model No.	Width mm	Height mm	Traverse mm	Holding Pressure kgs
MT053018A	135	90.5	20	227
MT053020A	159	122	40	368
MT053022A	230	172	60	680

MT053004A



Width: 216mm
Height: 50mm
Traverse: 12mm
Holding Pressure: 150kgs

MT053108A



Width: 171.5mm
Height: 127mm
Traverse: 40mm
Holding Pressure: 350kgs

MT053002A



Width: 138mm
Height: 84mm
Traverse: 33mm
Holding Pressure: 125kgs

MT053006A



Width: 250mm
Height: 142mm
Traverse: 50mm
Holding Pressure: 290kgs

MT053024A



Width: 180mm
Height: 76mm
Traverse: 50mm
Holding Pressure: 650kgs



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com

PRODUCT INFORMATION


FOR YOUR INQUIRIES, PLEASE
INDICATE MODEL NO., AND FOLLOWING
CATALOGUE NUMBER

STV044

Page 4 of 4

Latch Action Type

Flanged or straight base, ductile iron casted
Stainless or low carbon steel constructed for choice
Adjustable pull bar



MT054012A



Width: 138mm
Height: 50mm
Holding Pressure: 80kgs
Material: Stainless or
Low Carbon Steel

MT054016A



Width: 233mm
Height: 72mm
Holding Pressure: 900kgs
Material: Stainless or
Low Carbon Steel

MT054014A



Width: 106mm
Height: 35mm
Holding Pressure: 160kgs
Material: Stainless or
Low Carbon Steel

MT054002A



Width: 246mm
Height: 102mm
Holding Pressure: 1818kgs

MT054102A



Width: 143mm
Height: 41.5mm
Holding Pressure: 308kgs
Material: Stainless or
Low Carbon Steel

MT054004A



Width: 219mm
Height: 95mm
Holding Pressure: 3300kgs



HIMOUNT INDUSTRIAL CO., LTD.
7TH FL. No.325, FU HSING N. ROAD.
TAIPEI, TAIWAN
TEL: 886-2-27135577 886-2-27188886
FAX : 886-2-27152218
<http://www.himount.com/>
E - MAIL: info@himount.com